B7

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification⁷: A61K 9/00

(21) International Application Number: PCT/IB02/05338

(22) International Filing Date: 9 December 2002 (09.12.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/343,469   21 December 2001 (21.12.2001)   US

(71) Applicant (for all designated States except US): PFIZER PRODUCTS INC. [US/US]; Eastern Point Road, Groton, CT 06340 (US).

(72) Inventors; and
(75) Inventors/Applicants (for US only): FERGIONE, Michael, Bruce [US/US]; Pfizer Global Research & Development, Eastern Point Road, Groton, CT 06340 (US). JOHNSON, Barbara, Alice [US/US]; Pfizer Global Research and Development, Eastern Point Road, Groton, CT 06340 (US).

(74) Agents: LUMB, J., Trevor et al.; Pfizer Inc., 201 Tabor Road, Morris Plains, NJ 07950 (US).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:
— without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: METHODS FOR WET GRANULATING AZITHROMYCIN

(57) Abstract: The present invention relates to a method of forming non-dihydrate azithromycin granules, comprising mixing non-dihydrate azithromycin particles, with a granulating amount of a granulating liquid, and, optionally, with particles of one or more excipients, to form wet granules which comprise non-dihydrate azithromycin and the granulating liquid. The granules are then dried to remove the granulating liquid. The invention further relates to a pharmaceutical composition comprising granules of a non-dihydrate azithromycin and at least one pharmaceutically acceptable excipient. The invention also relates to pharmaceutical formulations comprising granules of non-dihydrate azithromycin. The invention further relates to granules of dihydrate azithromycin wherein the granules comprises 98% or more dihydrate azithromycin and from about 2% to 0%, total weight, of one or more pharmaceutically acceptable excipients.

PC23065A

1

METHODS FOR WET GRANULATING AZITHROMYCIN

5   BACKGROUND OF THE INVENTION

Granulation is a process whereby granules are formed
from a bulk drug substance with or without excipients to
improve the properties of the bulk drug or formulation.
Granules are preparations consisting of solid, dry

10   agglomerates of powder particles sufficiently robust to
withstand handling. Granules usually contain one or more
active ingredients with or without auxiliary substances.
Granules can either be used as a medicinal form or in the
manufacturing process of tablets and capsules, taking

15   advantage of their better compactability, flowability,
and limited dust formation. Granules can be enlarged
through moist granulation processes such as wet
granulation.

Wet granulation is distinguished from dry

20   granulation in that a granulating liquid, such as water,
organic liquids or mixtures thereof, are used in wet
granulation to produce granules. The advantages of wet
granulation include improvement of the cohesiveness and
compactability of powders, increase in density, good

25   distribution providing uniform content of micronized or
finely milled low-dosage drugs, reduction of dust and
airborne contamination, and prevention of segregation of
components.

Azithromycin, or 9-deoxo-9a-aza-9a-methyl-9a-

30   homoerythromycin A, is a broad spectrum antibacterial
compound derived from erythromycin A.

Azithromycin can be produced in many different
forms. For example, the current commercial form of

2

azithromycin is a stable crystalline, non-hygroscopic
dihydrate, also referred to herein as form A, which is
made according to the method described in US Patent No.
6,268,489. The commercial tablet is then formulated by
5   wet granulating the dihydrate using water as the
granulating liquid.

Several crystalline, non-dihydrate forms of
azithromycin are also known. For example, U.S. Patent
No. 4,474,768 discloses a hygroscopic crystalline hydrate
10 of azithromycin which is also referred to herein as form
B. This form of azithromycin is difficult to handle
during formulation due to its propensity for readily
adsorbing varying amounts of water.

It would be desirable to form granules of non-
15 dihydrate forms of azithromycin by wet granulation.

SUMMARY OF THE INVENTION

The present invention relates to a method of forming
non-dihydrate azithromycin granules, comprising mixing
20 non-dihydrate azithromycin particles, with a granulating
amount of a granulating liquid, and, optionally, with
particles of one or more excipients, to form wet
granules which comprise non-dihydrate azithromycin and
the granulating liquid. The granules are then dried to
25 remove the granulating liquid.

In the method of the invention, the non-
dihydrate azithromycin is selected from azithromycin forms
B, D, E, G, H, J, M, N, O, P, Q, R and mixtures thereof.
Alternately, the azithromycin is form F.

30 The invention further relates to a pharmaceutical
composition comprising granules of a non-dihydrate
azithromycin and optionally at least one pharmaceutically
acceptable excipient.

3

The invention additionally relates to pharmaceutical formulations comprising granules of non-dihydrate azithromycin.

The invention further relates to granules of
5   dihydrate azithromycin wherein the granules comprises 98% or more dihydrate azithromycin and 2% to 0%, total weight, of one or more pharmaceutically acceptable excipients.

10   DETAILED DESCRIPTION

All percentages discussed herein, unless otherwise noted, are to be considered percentages by weight.

The present invention relates to granules of azithromycin formed by aqueous and nonaqueous-based wet
15   granulation. Preferably, the azithromycin is crystalline. Alternatively, the azithromycin may be non-crystalline or amorphous.

It is also preferable that the azithromycin is non-dihydrate azithromycin. More preferably, the azithromycin
20   is crystalline, non-dihydrate azithromycin.

In the present invention, "granules" are defined as particles of azithromycin and, optionally, particles of at least one excipient, which are adhered together or agglomerated.

25   Particles, as defined herein, include non-dihydrate azithromycin powder, pharmaceutically acceptable excipient powder, or granules which were previously formed from a non-dihydrate azithromycin powder and, optionally, at least one pharmaceutically acceptable excipient.

30   Non-dihydrate azithromycin means all amorphous and crystalline forms of azithromycin, including all polymorphs, isomorphs, clathrates, salts, solvates and

hydrates thereof, other than the dihydrate form of
azithromycin (form A).

Several crystalline, non-dihydrate forms of
azithromycin, including forms D, E, F, G, H, J, M, N, O,
5   P, Q and R, are disclosed in U.S. Patent Application
Serial Number 10/152,106, filed 21 May 2002, the teachings
of which are incorporated herein, by reference, in their
entirety.

In one embodiment of the present invention, granules
10 are prepared from (1) a non-dihydrate form of
azithromycin, selected from forms B, D, E, G, H, J, M, N,
O, P, Q and R, or mixtures thereof, and (2) optionally,
one or more pharmaceutically acceptable excipients.
These forms of non-dihydrate azithromycin are defined as
15 follows.

Both Family I and Family II isomorphs are hydrates
and/or solvates of azithromycin. The solvent molecules in
the cavities have a tendency to exchange between solvent
and water under specific conditions. Therefore, the
20 solvent/water content of the isomorphs may vary to a
certain extent. Forms B, F, G, H, J, M, N, O, and P
belong to Family I azithromycin and belong to a
monoclinic $P2_1$ space group with cell dimensions of a =
16.3 ± 0.3 Å, b = 16.2 ± 0.3 Å, c = 18.4 ± 0.3 Å and beta =
25 $109\pm2°$. Forms D, E and R belong to Family II azithromycin
and belong to an orthorhombic $P2_1 2_1 2_1$ space group with
cell dimensions of a = 8.9 ± 0.4 Å, b = 12.3 ± 0.5 Å and c =
45.8 ± 0.5 Å. Form Q is distinct from Families I and II.

Form D azithromycin is of the formula
30 $C_{38}H_{72}N_2O_{12} \cdot H_2O \cdot C_6H_{12}$ in its single crystal structure, being
azithromycin monohydrate monocyclohexane solvate. Form D
is further characterized as containing 2-6% water and 3-

5

12% cyclohexane by weight in powder samples. From single crystal data, the calculated water and cyclohexane content of form D is 2.1 and 9.9%, respectively.

Form E azithromycin is of the formula

5    $C_{38}H_{72}N_2O_{12} \cdot H_2O \cdot C_4H_8O$ being azithromycin monohydrate mono-tetrahydrofuran solvate. Form E is a monohydrate and mono-THF solvate by single crystal analysis.

Form G azithromycin is of the formula $C_{38}H_{72}N_2O_{12} \cdot 1.5H_2O$ in the single crystal structure, being

10   azithromycin sesquihydrate. Form G is further characterized as containing 2.5-6% water and <1 % organic solvent(s) by weight in powder samples. The single crystal structure of form G consists of two azithromycin molecules and three water molecules per asymmetric unit.

15   This corresponds to a sesquihydrate with a theoretical water content of 3.5%. The water content of powder samples of form G ranges from about 2.5 to about 6%. The total residual organic solvent is less than 1% of the corresponding solvent used for crystallization.

20   Form H azithromycin is of the formula $C_{38}H_{72}N_2O_{12} \cdot H_2O \cdot C_3H_8O_2$ being azithromycin monohydrate hemi-1,2 propanediol solvate. Form H is a monohydrate/hemi-propylene glycol solvate of azithromycin free base.

Form J azithromycin is of the formula

25   $C_{38}H_{72}N_2O_{12} \cdot H_2O \cdot 0.5C_3H_7OH$ in the single crystal structure, being azithromycin monohydrate hemi-n-propanol solvate. Form J is further characterized as containing 2-5% water and 1-5% 1-propanol by weight in powder samples. The calculated solvent content is about 3.8% n-propanol and

30   about 2.3% water.

Form M azithromycin is of the formula $C_{38}H_{72}N_2O_{12} \cdot H_2O \cdot 0.5C_3H_7OH$, being azithromycin monohydrate hemi-isopropanol solvate. Form M is further

6

characterized as containing 2-5% water and 1-4% 2-
propanol by weight in powder samples. The single crystal
structure of form M would be a monohydrate/hemi-
isopropranolate.

Form N azithromycin is a mixture of isomorphs of
Family I. The mixture may contain variable percentages
of isomorphs, F, G, H, J, M and others, and variable
amounts of water and organic solvents, such as ethanol,
isopropanol, n-propanol, propylene glycol, acetone,
acetonitrile, butanol, pentanol, etc. The weight percent
of water can range from 1-5.3% and the total weight
percent of organic solvents can be 2-5% with each solvent
content of 0.5 to 4%.

Form O azithromycin is of the formula
$C_{38}H_{72}N_2O_{12} \cdot 0.5H_2O \cdot 0.5C_4H_9OH$, being a hemihydrate hemi-n-
butanol solvate of azithromycin free base by single
crystal structural data.

Form P azithromycin is of the formula
$C_{38}H_{72}N_2O_{12} \cdot H_2O \cdot 0.5C_5H_{12}O$ being azithromycin monohydrate
hemi-n-pentanol solvate.

Form Q azithromycin is of the formula
$C_{38}H_{72}N_2O_{12} \cdot H_2O \cdot 0.5C_4H_8O$ being azithromycin monohydrate hemi-
tetrahydrofuran solvate. It contains about 4% water and
about 4.5% THF.

Form R azithromycin is of the formula
$C_{38}H_{72}N_2O_{12} \cdot H_2O \cdot C_5H_{12}O$ being azithromycin monohydrate mono-
methyl tert-butyl ether solvate. Form R has a
theoretical water content of 2.1 weight % and a
theoretical methyl tert-butyl ether content of 10.3
weight %.

In an alternate embodiment of the present invention,
granules are prepared from (1) azithromycin form F, and
(2) optionally, one or more pharmaceutically acceptable

excipients. Form F azithromycin is of the formula $C_{38}H_{72}N_2O_{12} \cdot H_2O \cdot 0.5C_2H_5OH$ in the single crystal structure, being azithromycin monohydrate hemi-ethanol solvate. Form F is further characterized as containing 2-5% water

5   and 1-4% ethanol by weight in powder samples.
The single crystal of form F crystallized in a monoclinic space group, $P2_1$, with the asymmetric unit containing two azithromycin, two waters, and one ethanol, as a monohydrate/hemi-ethanolate. It is isomorphic to all

10   Family I azithromycin crystalline forms. The theoretical water and ethanol contents are 2.3 and 2.9%, respectively.

In yet another embodiment of the present invention, granules comprise at least about 98% azithromycin form A, and about 2% to 0% of one or more pharmaceutically

15   acceptable excipients. This embodiment is further exemplified by Example 1.

In the method of the present invention, a granulating liquid is defined as a liquid which, when mixed with the azithromycin, and optional excipient

20   particles, promotes adherence, or agglomeration, of the particles to form granules.

A granulating amount of a granulating liquid is an amount of liquid sufficient to permit particle adherence, or agglomeration, without significant dissolution of the

25   azithromycin.

Granulating liquids of the present invention may be nonaqueous or aqueous.

A nonaqueous granulating liquid is defined herein as an organic solvent which contains 25% or less, by volume,

30   water. Suitable organic solvents include, but are not limited to, acetonitrile, chlorobenzene, chloroform, cyclohexane, 1,2-dichlorethane, dichloromethane, 1,2-dimethoxyethane, N,N,-dimethylacetamide,

8

N,N-dimethylformamide, 1,4 dioxane, 2-ethoxyethanol, ethyleneglycol, formamide, hexane, 2-methoxyethanol, methylbutyl ketone, methylcyclohexane, N-methyl-pyrrolidone, nitromethane, pyridine, sulfolane, tetralin,

5   toluene, 1,2-trichlorethane, xylene, acetic acid, acetone, anisole, butyl acetate, tert-butylethylether, cumene, dimethyl sulfoxide, ethyl acetate, ethyl ether, ethyl formate, formic acid, heptane, isobutyl acetate, isopropyl acetate, methyl acetate, methylethyl ketone,

10   methylisobutyl ketone, pentanel, propyl acetate, tetrahydrofuran, C_1-C_6 alcohols, and mixtures thereof.

The nonaqueous granulating liquid may also be a miscible mixture of one or more organic solvents and/or water.

15   Preferred nonaqueous granulating liquids of the present invention include ethanol, isopropanol, and miscible mixtures thereof with water, which are further described in Examples 1-8 herein. For nonaqueous granulating liquids, ethanol is preferred for granulating

20   form F. Isopropanol is preferred for granulating form M.

An aqueous granulating liquid, as defined herein, is a granulating liquid comprising more than 25% water and less than 75% of one or more suitable organic solvents as specified above. A preferred aqueous granulating liquid,

25   of the present invention, is a miscible mixture of water and ethanol, which is further described in Examples 1-8 herein.

As defined herein, the term "pharmaceutically acceptable" means that the excipient must be compatible

30   with other ingredients of the composition, and not deleterious to the recipient thereof.

Pharmaceutically acceptable excipients, of the present invention, include binders, diluents,

9

disintegrants, lubricants, fillers, carriers, and the
like. Further, the excipients may be hygroscopic or non-
hygroscopic.

Binders are used to impart cohesive qualities to a
5   granulation, and thus ensure that a granulation remains
intact after drying and milling. They are also important
for providing granule particle size uniformity and
compaction properties of the granulation. Suitable
binder materials include, but are not limited to, starch
10 (including corn starch and pregelatinized starch),
gelatin, sugars (including sucrose, glucose, dextrose and
lactose), polyethylene glycol, waxes, and natural and
synthetic gums, e.g., acacia, sodium alginate,
polyvinylpyrrolidone, cellulosic polymers (including
15 hydroxypropyl cellulose, hydroxypropyl methylcellulose,
methyl cellulose, hydroxyethyl cellulose, and the like).
For aqueous granulating solutions, preferred binders
include hydroxypropyl cellulose, polyvinylpyrrolidone,
pregelatinized starch; and sugar, for example sucrose.
20   Lubricants can be employed herein in the manufacture
of certain dosage forms, and will usually be employed
when producing tablets. In the present invention, a
lubricant is typically added prior to tableting.
Typically, the lubricant is added just before the
25 tableting step, and is mixed with the granulate for a
short period of time to obtain good dispersal. Typical
mixing times are in the range of about five minutes. The
lubricant employed in a composition of the present
invention may be one or more compounds. Examples of
30 suitable lubricants include, but are not limited to,
magnesium stearate, calcium stearate, zinc stearate,
stearic acid, talc, glyceryl behenate, polyethylene
glycol, polyethylene oxide polymers (for example,

10

available under the registered trademarks of Carbowax for
polyethylene glycol and Polyox for polyethylene oxide
from Union Carbide, Inc., Danbury, CT.), sodium lauryl
sulfate, magnesium lauryl sulfate, sodium oleate, sodium
5   stearyl fumarate, DL-leucine, colloidal silica, and
others as known in the art. Preferred lubricants are
magnesium stearate, calcium stearate, zinc stearate and
mixtures of magnesium stearate with sodium lauryl
sulfate. Lubricants may comprise from about 0.25 to about
10   10% of the tablet weight, preferably from about 0.25 to
about 3% for the preferred lubricants.

     Suitable diluents may be one or more compounds which
are capable of providing compactability and good flow. A
variety of materials may be used as fillers or diluents.
15   Suitable diluents or fillers include, but are not limited
to, spray-dried monohydrate or anhydrous lactose,
sucrose, dextrose, mannitol, sorbitol, starch, cellulose
(e.g. microcrystalline cellulose; Avicel), dihydrated or
anhydrous dibasic calcium phosphate (available
20   commercially under the registered trademark Emcompress
from Mendell or A-Tab and Di-Tab from Rhone-Poulenc,
Inc., Monmouth Junction, N.J.), calcium carbonate,
calcium sulfate, and others as known in the art.

     In the present invention, disintegrants may be added
25   intragranularly and/or extragranularly. Disintegrants
are used to facilitate tablet disintegration or "breakup"
after administration, and are generally starches, clays,
celluloses, algins, gums or crosslinked polymers.
Suitable disintegrants include, but are not limited to,
30   crosslinked polyvinylpyrrolidone (PVP-XL), sodium starch
glycolate, and croscarmellose sodium.

     If desired, the granule or pharmaceutical
composition may also contain minor amounts of nontoxic

11

auxiliary substances such as wetting or emulsifying agents, pH buffering agents and the like, for example, sodium acetate, sorbitan monolaurate, triethanolamine sodium acetate, triethanolamine oleate, sodium lauryl

5 sulfate, dioctyl sodium sulfosuccinate, polyoxyethylene sorbitan fatty acid esters, etc.

In the method for forming granules containing non-dihydrate azithromycin, non-dihydrate azithromycin powder is mixed with a granulating amount of a suitable

10 granulating liquid to form good granules within the granule/granulating liquid mixture, which is hereinafter referred to as the "wet granulate".

Good granules typically have few fines, uniform size and stay intact after drying and sizing. Sizing may be

15 accomplished by a sieve or mill, for instance. The skilled worker often makes a subjective determination by observing the consistency of the granules.

In an alternate embodiment, the granulating liquid is mixed with the non-dihydrate azithromycin particles

20 and with particles of at least one excipient, to form granules. These granules are then dried, by suitable means, to form a pharmaceutical composition which comprises granules containing non-dihydrate azithromycin and the pharmaceutically acceptable excipients.

25 Optionally, the azithromycin and excipients may be preblended prior to mixing with the granulating liquid. Preblending can be accomplished by blending, mixing, stirring, shaking, tumbling, rolling or by any other method to achieve a homogeneous blend. It is preferred

30 that the azithromycin and excipients be combined under low shear conditions in a suitable apparatus, such as a V-blender, tote blender, double cone blender or any other

12

apparatus capable of functioning under preferred low
shear conditions.

In yet another embodiment, the non-dihydrate
azithromycin particles that are to be mixed with the

5.   granulating liquid, and optional excipients, is in the
form of previously granulated azithromycin particles.
Further, these previously granulated azithromycin
particles may further include, intragranularly, one or
more pharmaceutically acceptable excipients.

10   In the method of the present invention, the
particles are mixed with the granulating liquid for a
period from about 5 to about 45 minutes. Preferably, for
production scale, the mixing time is about 20 to about 35
minutes. For small scale, the mixing time is preferably

15   about 3 minutes to about 10 minutes. Also, wet
granulation is generally performed at temperatures
between about 20 °C to about 30 °C, and preferably about
room temperature.

Any equipment may be used to contact the granulating

20   liquid with the particles as long as uniform distribution
of the granulating liquid and good contact of the
particles are achieved. For example, small-scale
production can be achieved by mixing and wetting the mass
in mortars or stainless steel bowls, while for larger

25   quantities V-blenders with intensifier bars, planetary
mixers, rotary granulators, high shear mixers and fluid-
bed granulation equipment may be used.

The extent of granule formation may be determined by
visual observation and manual manipulation, as is common

30   in the art. The extent of granule formation may also be
determined by sieve analysis, moisture measurements, such
as loss on drying (LOD) or other suitable methods, such

13

as instrumented endpoint analysis using measurements of torque and power consumption.

The choice of a particular granulating liquid system depends on a number of factors, such as the form of azithromycin being used, and may be based on desired processing characteristics. For example, it was found that the different crystalline forms of azithromycin had differences in solubility profiles in different solvents. For example, form A exhibited much lower solubility in water and isopropanol solutions as compared to the other forms. However, in ethanol, all the crystalline forms examined appeared to have similar solubilities.

Additionally, in many organic-based granulating liquids, for example ethanol/water, isopropanol/water, isopropanol, and ethanol, azithromycin granules can be formed without the inclusion of an excipient, in particular a binder. Thus, a higher drug loading may be obtained when a binder is not used.

Conversely, a binder is preferred for azithromycin granulation with water.

However, for water, residual water can be removed from the granules by drying using readily available equipment, while processes involving the use of organic solvents may require additional solvent removal steps.

In the present method, it is preferred that azithromycin be wet granulated in a manner according to the guidelines set by the International Conference on Harmonization of Technical Requirements for Registration of Pharmaceuticals for Human Use in the publication Harmonized Tripartite Guideline: Impurities: Guideline for Residual Solvents, recommended for adoption on July 17, 1997.

14

    Following granule formation, the granules in the wet
granulate are then dried by suitable means to remove the
granulating liquid. The conditions and duration of
drying depend on the liquid used and the mass of
5   material. Examples of suitable drying methods include,
but are not limited to, tray drying, forced air drying,
microwave drying, vacuum drying and fluid bed drying.
Optionally, the wet granulate may be sized before drying.
Suitable sizing operations for the wet granulate include
10 wet milling or sieving.

    Typically, the pharmaceutical formulation that is
contacted with the granulating liquid comprises from
about 30 to about 98%, more preferably from about 50 to
about 60% of azithromycin, by weight, and at least one
15 excipient.

    Suitable pharmaceutical formulations for wet
granulation may comprise from about 20% to about 90%
azithromycin, from about 0.25% to about 85% binder,
preferably from about 0.5% to about 30% binder, more
20 preferably from about 0.5% to about 6% binder and from
about 0% to about 80% filler and from about 0.5% to about
25% disintegrant, more preferably from about 0.5% to
about 15% disintegrant, most preferably from about 1% to
about 6% disintegrant.

25   If a binder is used, it may be dissolved in the
aqueous or nonaqueous granulating liquid. If dissolved in
the granulating liquid, the binder may be used in amounts
of from about 0.45% to about 25% (weight/volume of
liquid), more preferably in amounts of from about 5% to
30 about 10% (weight/volume). Alternatively, the binder in
its dry form may be incorporated into the powder prior to
granulation. If incorporated into the powder prior to
granulation, the binder may be used in amounts of from

15

about 0.25% to about 85% by weight, based on the weight of powder, preferably in an amount of from about 0.5% to about 30% by weight, based on the weight of the powder, more preferably in an amount of from about 0.5% to about

5   6% by weight, based on the weight of the powder. The particular weight percentage of the binder will depend on the particular binder chosen, as will be recognized by the skilled formulator. Alternatively, the binder may be included in both the granulating liquid and the powder.

10   The amount of granulating liquid used in preparing granulations will vary depending on the granulating liquid and drug form.

         In the method of the present invention, for forming granules of non-dihydrate azithromycin, the amount of

15   granulating liquid used (expressed as a percentage of dry weight of the powder) to form good granules will vary with the drug loading, whether or not the azithromycin is form F, whether a hygroscopic excipient is included, and whether the liquid is aqueous or nonaqueous.

20   For example, the incorporation of hygroscopic excipients, such as croscarmellose sodium, require larger amounts of aqueous granulating liquid. Hygroscopic excipients are defined as those excipients which are significantly hygroscopic absorbing more than about 20%

25   moisture at moderate relative humidities of 35-50% such as croscarmellose sodium, A. H. Kibbe, ed. Handbook of Pharmaceutical Excipients third edition, American Pharmaceutical Association, 2000. The type of equipment used in processing will also have an influence on the

30   amount of granulating liquid used. For example, high shear equipment and larger scale equipment typically require less liquid for granulation.

16

Examples of non-hygroscopic excipients are: sodium starch glycolate, polyvinylpyrrolidone, crosslinked PVP (PVP-XL), and hydroxypropylcellulose.

Further, granulation of form F azithromycin requires
5 more granulating liquid than do other forms of non-dihydrate azithromycin.

Based upon these variables, suitable embodiments for granulating different non-dihydrate forms of azithromycin are provided, as follows.

10 In wet granulations, with an aqueous granulating liquid, wherein non-dihydrate forms of azithromycin, excluding form F, at drug loadings of from about 30% to about 98%, and wherein no hygroscopic excipients are included, the amount of aqueous granulating liquid is
15 typically in the range of about 10% to about 30% and is preferably between about 10% to about 20%.

In wet granulations, with an aqueous granulating liquid, wherein non-dihydrate forms of azithromycin, excluding form F, at drug loadings of from about 30% to
20 about 98%, and hygroscopic excipients are included, the amount of aqueous granulating liquid is typically in the range of about 18% to about 45% and is preferably between about 30% to about 40%.

In wet granulations, with a nonaqueous granulating
25 liquid, wherein non-dihydrate forms of azithromycin, excluding form F, at drug loadings of from about 30% to about 98%, the amount of nonaqueous granulating liquid is typically in the range of about 7.5% to about 50% and is preferably between about 10% to about 20%.

30 In wet granulations, with an aqueous granulating liquid, using azithromycin form F, at drug loadings of from about 30% to about 98%, and wherein no hygroscopic excipients are included, the amount of aqueous

17

granulating liquid is typically in the range of about 20%
to about 40% and is preferably between about 25% to about
35%.

In wet granulations, with an aqueous granulating
5 liquid, using azithromycin form F, at drug loadings of
from about 30% to about 98%, and hygroscopic excipients
are included, the amount of aqueous granulating liquid is
typically in the range of about 30% to about 55% and is
preferably between about 40% to about 50%.

10   In wet granulations, with a nonaqueous granulating
liquid, using azithromycin form F, at drug loadings of
from about 30% to about 98%, the amount of nonaqueous
granulating liquid is typically in the range of about 10%
to about 55% and is preferably between about 20% to about
15 30%.

For embodiments wherein greater than about 50% drug
loadings are used, for all azithromycin forms, using
granulating liquids comprising less than 50% water
generally produce better granules. In embodiments
20 wherein 100% azithromycin loading is used, granulating
liquids comprising less than 50% water are preferred and
nonaqueous granulating liquids containing 5% or less
water are more preferred.

More specifically, the amount of nonaqueous
25 granulating liquid for high azithromycin loadings
(specifically greater than 98%) of azithromycin forms,
excluding form F, is typically from about 10% to about
25%, and preferably from about 15% to about 20%.

For form F, the amount of nonaqueous granulating
30 liquid for high azithromycin loadings (specifically
greater than 98%) of azithromycin form F is typically
between about 20% to about 40%, and more preferably
between about 25% to about 35%.

18

Also, the amount of aqueous granulating liquid for high azithromycin loadings (specifically greater than 98%) of azithromycin forms, excluding form F, is typically from about 15% to about 30%, and preferably

5   from about 17% to about 25%.

For form F, the amount of aqueous granulating liquid for high azithromycin loadings (specifically greater than 98%) of azithromycin form F is typically between about 40% to about 60%, and more preferably between about 45%

10   to about 55%.

The pharmaceutical compositions, and granules, of the present invention, optionally, include, intragranularly or extragranularly, additional components such as antioxidants, suspending agents, thickening

15   agents, and the like. The term "extragranular" or "extragranularly" as used herein means that the referenced material is added or has been added as a dry component after granulation. The term "intragranular" or "intragranularly" as used herein means that the

20   referenced material is added or has been added as a component of the granulation.

Flavors may also be included in the pharmaceutical composition. These flavors may be chosen from synthetic flavor oils and flavoring aromatics and/or natural oils,

25   extracts from plants leaves, flowers, fruits, and so forth and combinations thereof. These flavors may include cinnamon oil, oil of wintergreen, peppermint oils, clove oil, bay oil, anise oil, eucalyptus, thyme oil, cedar leaf oil, oil of nutmeg, oil of sage, oil of

30   bitter almonds, and cassia oil. Also useful as flavors are vanilla, citrus oil, including lemon, orange, grape, lime and grapefruit, and fruit essences, including apple, banana, pear, peach, strawberry, raspberry, cherry, plum,

19

pineapple, apricot, and so forth. The amount of
flavoring may depend on a number of factors including the
organoleptic effect desired. In a tablet, the flavoring
will typically be present in an amount of from 0.5 wt.%
5   to about 3.0 wt.% based on the total tablet weight.

Other excipients and coloring agents may also be
added to azithromycin tablets. Coloring agents include,
but are not limited to, titanium dioxide and/or dyes
suitable for food such as those known as F. D. & C, dyes,
10 aluminum lakes and natural coloring agents such as grape
skin extract, beet red powder, beta carotene, annato,
carmine, turmeric, paprika, and so forth. A coloring
agent is an optional ingredient in the compositions of
this invention, but when used will generally be present
15 in an amount up to about 3.5 percent based on the total
tablet weight.

The azithromycin granules, and the pharmaceutical
compositions, prepared by the method of this invention
may be used to prepare pharmaceutical formulations
20 including, but not limited to, tablets, capsules and
sachets used for preparing liquid suspensions of
azithromycin.

After drying, the granules may optionally be
subjected to additional processing steps including, but
25 not limited to, milling, screening or other sizing steps,
addition of lubricants and/or other excipients, tableting
or encapsulation.

As mentioned, the granules may optionally be
subjected to additional processing steps depending on the
30 desired end-use of the material. Additional processing
steps include, but are not limited to milling and
compaction to form tablets.

20

In the pharmaceutical industry, milling is often
used to reduce the particle size of solid materials. Many
types of mills are available and one of the most commonly
used types of mill is the hammer mill. This type of mill

5   uses a high-speed rotor to which a number of hammers are
attached. The hammers can be attached such that either
the knife face or the hammer face contacts the material.
As material is fed into the mill, it impacts on the
rotating hammers and breaks up into smaller particle

10 sizes. A screen is located below the hammers, which
allows the smaller particles to pass through the openings
in the screen. Larger particles are retained in the mill
and continue to be broken up by the hammers until the
particles are fine enough to flow through the screen. Any

15 suitable equipment for reducing the particle size may be
used in the present invention.

If desired, the granules may be processed further to
form tablets from milled, sieved, or unmilled material.
The term "tablet" as used herein is intended to encompass

20 compressed pharmaceutical dosage forms of all shapes and
sizes.

In the present invention, equipment may optionally
be used to assist the feeding of the granulation or
powder during processing. The granulate or powder may be

25 screw fed by means of an augur or by means of paddles in
the feed frame on the tablet press or encapsulation
equipment. The means of assisted feeding is not limited
to any particular type of equipment, and any equipment
known in the art may be used to assist the feed of the

30 powder or granulate.

Tablets may be formed from the granules by
compression or by molding. Typical compression
techniques utilize a piston like device with three stages

in each cycle 1) filling (adding the constituents of the
tablet to the compression chamber) 2) compaction (forming
the tablet) and 3) ejection (removing the tablet). The
cycle is then repeated. In one embodiment, a high-speed
5   rotary tablet press may be used. Examples of suitable
high-speed rotary tablet presses include Kilian LX2
(manufactured by IMA-Kilian, Cologne, Germany), Manesty
BB4 and Manesty Mark IV (both manufactured by Manesty
Machines Ltd., Liverpool, England).

10   Tablets may contain from about 10% to about 90% by
weight of azithromycin, preferably from about 25% to
about 80% azithromycin on a percentage basis of the
weight of the azithromycin to the total weight of the
azithromycin plus excipients. Capsules may contain from
15   about 10% to 100% azithromycin, preferably from about 25%
to about 95% azithromycin on a percentage basis of the
weight of the azithromycin to the total weight of the
azithromycin plus excipients. Sachets and powders for
suspension may contain from about 0.5% to about 99%
20   azithromycin, preferably from about 0.75% to about 20%
azithromycin, more preferably from about 1% to about 10%
azithromycin on a percentage basis of the weight of the
azithromycin to the total weight of the azithromycin plus
excipients.

25   Flow of the blend on high-speed tablet presses is
very important to good weight control of the tablet. The
use of a force feeder often improves tablet weight
control for poorer flowing blends. Another common feature
of high-speed tablet presses is the ability to use
30   precompression. Precompression gently taps the blend when
the die is full with blend and then the main compaction
takes place to form the tablet.

22

In the present invention, the granulation step results in particles that are free flowing and have good characteristics for tableting. The term "free flowing" means ease of handling as in, for example, measuring,
5   introducing into packages, or feeding into tableting or encapsulating equipment. Free flowing materials exhibit low cohesion and have the ability to keep moving consistently under the force of gravity without any applied agitation.
10 Flow properties of a formulation may be evaluated by a number of methods known in the art. One way of characterizing formulation properties of a powdered material is by bulk density measurements. A simple method to provide a description of flow characteristics
15 by bulk density measurement is Carr's Compressibility Index (Carr's Index). Carr's Compressibility Index is a simple test to evaluate flowability by comparing both the initial and final (tapped) bulk volumes and the rate of packing down. A useful empirical guide to flow is given
20 by Carr's compressibility index:

Compressibility Index (%) = [(tapped density- initial density)/tapped density] X 100

25 It is preferred that the granules, of the present invention, have a Carr's Compressibility Index less than about 34; more preferably less than about 31; even more preferably less than about 28.

The tablets prepared from the granulation of the
30 present invention exhibit acceptable physical characteristics including good friability and hardness. The resistance of a tablet to chipping, abrasion or breakage under conditions of storage and transportation

23

depends on its friability. The desired hardness may vary, depending on factors such as tablet size and shape.

Friability is a standard test known to one skilled in the art. Friability is measured under standardized
5   conditions by weighing out a certain number of tablets (generally 20 or more), placing them in a rotating Plexiglas drum in which they are lifted during replicate revolutions by a radial lever, and then dropped a distance of approximately 8 inches. After replicate
10 revolutions (typically 100 revolutions at 25 rpm), the tablets are reweighed and the percentage of formulation abraded or chipped off is calculated. Friability in the range of about 0% to 3%, more preferably about 0 to 1%, is considered acceptable for most drug and food tablet
15 contexts. Friability, which approaches 0%, is particularly preferred.

The hardness of a particular tablet depends on various factors, including the dimensions and weight of the tablet.
20   In one embodiment, the tablet may be a modified capsule shape containing about 250 mgA, about 450 mg total weight. In one embodiment, the dimensions of the aforementioned tablet are 0.26" × 0.53". The term "mgA" as used herein refers to milligrams of the free base of
25 azithromycin. The tablet hardness may be from about 6 to about 18kP.

In a further embodiment, the tablet may be a modified capsule shape containing about 500 mgA, about 900 mg total weight. In one embodiment, the dimensions of
30 the tablet are 0.33" x 0.67". The tablet hardness may be from about 6 to about 26kP. In an even further embodiment, the tablet may be a modified oval shape containing about 600 mgA, about 1070 mg total weight. In

24

one embodiment, the dimensions of the aforementioned
tablet are 0.41" x 0.75". The tablet hardness may be
from about 6 to about 26kP. A reference to tablet shapes
can be found in fig. 25, page 51 of the Tableting
5   Specification Manual, fourth edition, published by the
American Pharmaceutical Association, Washington, DC,
1995.

The tablet may optionally be coated. The reasons for
coating a tablet may include masking the taste of the
10   drug, making tablets easier to swallow, protection
against chipping during packaging, a barrier for moisture
or light to improve product stability, and enhance
product appearance or recognition.

The coating process may include the use of a coating
15   solution or suspension, usually aqueous that has
acceptable viscosity for spraying and properties for it
to adhere to the surface of the tablet when applied.
During the coating process, the coating solution or
suspension is atomized into fine droplets that come into
20   contact with the tablet. As the droplets dry, a film is
formed on the tablet, which is the coating. There are
several types of coating equipment used to coat tablets.
One type is the pan coater in which tablets are rotated
in a pan and coating solution is applied to the tablets
25   as tablets tumble in the pan. Another coating process
involves suspending the tablets in a column of air while
the coating solution is sprayed onto the tablet (fluid
bed process). The tablet may be coated by any known
process and the manner of application is not limited to
30   any particular equipment.

The tablet coating(s) may be a white or colored
Opadry® (Colorcon, West Point PA) suspension or a clear
Opadry® solution. Alternatively a typical coating

25

formulation would consist of a film forming polymer(s) such as hydroxypropyl methylcellulose (HPMC), hydroxypropyl cellulose (HPC), polyvinylpyrrolidone (PVP) with additional ingredients such as plasticizers,
5 opacifiers, colorants and/or antioxidants.

The pharmaceutical compositions of the present invention may be used for the treatment of bacterial or protozoal infections. The term "treatment", as used herein, unless otherwise indicated, means the treatment
10 or prevention of a bacterial or protozoal infection, including curing, reducing the symptoms of or slowing the progress of said infection.

As used herein, unless otherwise indicated, the term "bacterial infection(s)" or "protozoal infection"
15 includes bacterial infections and protozoal infections that occur in mammals, fish and birds as well as disorders related to bacterial infections and protozoal infections that may be treated or prevented by administering antibiotics such as the compound of the
20 present invention. Such bacterial infections and protozoal infections and disorders related to such infections include, but are not limited to, the following: pneumonia, otitis media, sinusitis, bronchitis, tonsillitis, and mastoiditis related to
25 infection by *Streptococcus pneumoniae*, *Haemophilus influenzae*, *Moraxella catarrhalis*, *Staphylococcus aureus*, or *Peptostreptococcus spp.*; pharynigitis, rheumatic fever, and glomerulonephritis related to infection by *Streptococcus pyogenes*, Groups C and G streptococci,
30 *Clostridium diptheriae*, or *Actinobacillus haemolyticum*; respiratory tract infections related to infection by *Mycoplasma pneumoniae*, *Legionella pneumophila*, *Streptococcus pneumoniae*, *Haemophilus influenzae*, or

26

Chlamydia pneumoniae; uncomplicated skin and soft tissue
infections, abscesses and osteomyelitis, and puerperal
fever related to infection by Staphylococcus aureus,
coagulase-positive staphylococci (i.e., *S. epidermidis,*
5   *S. hemolyticus,* etc.), *Streptococcus pyogenes,*
Streptococcus agalactiae, Streptococcal groups C-F
(minute-colony streptococci), *viridans streptococci,*
Corynebacterium minutissimum, Clostridium spp., or
Bartonella henselae; uncomplicated acute urinary tract
10   infections related to infection *by Staphylococcus*
saprophyticus or Enterococcus spp.; urethritis and
cervicitis; and sexually transmitted diseases related to
infection by *Chlamydia trachomatis, Haemophilus ducreyi,*
Treponema pallidum, Ureaplasma urealyticum, or Neisseria
15   *gonorroeae*; toxin diseases related to infection *by S.*
aureus (food poisoning and Toxic shock syndrome), or
Groups A, B, and C streptococci; ulcers related to
infection by *Helicobacter pylori*; systemic febrile
syndromes related to infection by *Borrelia recurrentis*;
20   Lyme disease related to infection *by Borrelia*
burgdorferi; conjunctivitis, keratitis, and dacrocystitis
related to infection by *Chlamydia trachomatis, Neisseria*
gonorrhoeae, S. aureus, S. pneumoniae, S. pyogenes, H.
influenzae, or Listeria spp.; disseminated *Mycobacterium*
25   *avium* complex (MAC) disease related to infection by
Mycobacterium avium, or Mycobacterium intracellulare;
gastroenteritis related to infection by *Campylobacter*
jejuni; intestinal protozoa related to infection by
Cryptosporidium spp.; odontogenic infection related to
30   infection by *viridans streptococci*; persistent cough
related to infection by *Bordetella pertussis*; gas
gangrene related to infection by *Clostridium perfringens*
or *Bacteroides spp.*; and atherosclerosis related to

27

infection by *Helicobacter pylori* or *Chlamydia pneumoniae*.
Bacterial infections and protozoal infections and
disorders related to such infections that may be treated
or prevented in animals include, but are not limited to,
5   the following: bovine respiratory disease related to
infection by *P. haem.*, *P. multocida*, *Mycoplasma bovis*, or
Bordetella spp.; cow enteric disease related to infection
by *E. coli* or protozoa (i.e., *coccidia*, *cryptosporidia*,
etc.); dairy cow mastitis related to infection *by Staph.*
10 *aureus*, *Strep. uberis*, *Strep. agalactiae*, *Strep.*
dysgalactiae, *Klebsiella spp.*, *Corynebacterium*, or
Enterococcus spp.; swine respiratory disease related to
infection by *A. pleuro.*, *P. multocida, or Mycoplasma*
spp.; swine enteric disease related to infection *by E.*
15 *coli*, *Lawsonia intracellularis*, *Salmonella*, or *Serpulina*
hyodyisinteriae; cow footrot related to infection by
Fusobacterium spp.; cow metritis related to infection by
E. coli; cow hairy warts related to infection by
Fusobacterium necrophorum or *Bacteroides nodosus*; cow
20 pink-eye related to infection by *Moraxella bovis*; cow
premature abortion related to infection by protozoa (i.e.
neosporium); urinary tract infection in dogs and cats
related to infection by *E. coli*; skin and soft tissue
infections in dogs and cats related to infection by
25 *Staph. epidermidis*, *Staph. intermedius*, *coagulase neg.*
Staph. or *P. multocida*; and dental or mouth infections in
dogs and cats related to infection by *Alcaligenes spp.*,
Bacteroides spp., *Clostridium spp.*, *Enterobacter spp.*,
Eubacterium, *Peptostreptococcus*, *Porphyromonas*, or
30 *Prevotella*. Other conditions that may be treated by the
compounds and preparations of the present invention
include malaria and atherosclerosis. Other bacterial
infections and protozoal infections and disorders related

28

to such infections that may be treated or prevented in
accord with the method and compositions of the present
invention are referred to in J. P. Sanford et al., "The
Sanford Guide To Antimicrobial Therapy," 26th Edition,

5   (Antimicrobial Therapy, Inc., 1996).

The term "effective amount" means the amount of
azithromycin which, when administered, prevents the onset
of, alleviates the symptoms of, stops the progression of,
or eliminates a bacterial infection in a mammal.

10 The term "mammal" is an individual animal that is a
member of the taxonomic class Mammalia. The class
Mammalia includes, for example, humans, monkeys,
chimpanzees, gorillas, cattle, swine, horses, sheep,
dogs, cats, mice and rats.

15 In the present invention, the preferred mammal is a
human.

Typically, azithromycin, is administered in dosage
amounts ranging from about 0.2 mg per kg body weight per
day (mg/kg/day) to about 200 mg/kg/day in single or

20 divided doses (i.e., from 1 to 4 doses per day), although
variations will necessarily occur depending upon the
species, weight and condition of the subject being
treated and the particular route of administration
chosen. The preferred dosage amount is from about 2

25 mg/kg/day to about 50 mg/kg/day.

The azithromycin may be administered orally, or by
other known means for administering azithromycin.

EXEMPLIFICATION

The present invention will be further illustrated by means of the following examples. It is to be understood, however, that the invention is not meant to be limited to
5 the details described therein.

Example 1

Wet Granulation of Bulk Azithromycin

Forms A, G, J, M or N

10 Wet granulations were prepared from various forms of bulk crystalline azithromycin using both aqueous and non-aqueous granulating liquids. The azithromycin forms used were A, G, J, M and N. The granulating liquids used were ethanol 95%(EtOH), isopropanol (IPA), and water (H_2O).

15 Samples of 3 to 5 g of each bulk drug were granulated in a 30 cubic centimeter (cc) bottle, using a bent micro-spatula impeller with a 1/2" blade on a variable speed mini-drill press (Micro-Drill model 164C-7, Cameron Precision Engineering Co., Sonora, CA 95370).

20 Prior to use, the blade was bent to an angle sufficient to sweep the material,being granulated, and to allow a portion of this material to flow over the top of the blade. The blade was bent to an angle about 30° from vertical. The blade was bent to model the

25 characteristics of the impeller of a Niro SP-1 high shear granulator (Niro Inc., Columbia, MD). The liquid was pipetted in 0.1 to 0.5mL increments, wet mixing for 2-3 minutes until a suitable granulation was formed based upon visual observations. All runs formed wet

30 granulations, but those using water as the granulating liquid failed to hold together as well as the non-aqueous runs after drying. All of the samples were dried

overnight at 40 °C for 16 hours in a forced hot air dryer.
Visual observations of manual granulation manipulation
showed that the water granulations tended to be softer
and more friable than the non-aqueous granulations.   The
5   results of the wet granulation experiment are summarized,
below, in Table 1.

Table 1

Run #	Drug Form	Granulation Fluid	Batch Size	Liquid Amount (%)*	Granule Quality
1	A	EtOH	3g	0.5mL (17%)	Good Granules
2	G	EtOH	3g	0.5mL (17%)	Good Granules
3	M	EtOH	3g	0.5mL (17%)	Good Granules
4	N	EtOH	3g	0.5mL (17%)	Good Granules
5	J	EtOH	5g	1.0mL (20%)	Good Granules
6	A	IPA	3g	0.5mL (17%)	Good Granules
7	G	IPA	3g	0.5mL (17%)	Good Granules
8	M	IPA	3g	0.5mL (17%)	Good Granules
9	N	IPA	3g	0.5mL (17%)	Good Granules
10	J	IPA	5g	1.0mL (20%)	Good Granules
11	A	H_2O	3g	0.5mL (17%)	Poor Granules
12	G	H_2O	3g	0.5mL (17%)	Poor Granules
13	M	H_2O	3g	0.5mL (17%)	Poor Granules

31

| 14 | N | H_2O | 3g | 0.5mL (17%) | Poor Granules |
| 15 | J | H_2O | 5g | 1.0mL (20%) | Fair Granules |

* Percent listed is the liquid volume amount compared to the dry component amount

A Scanning Electron Microscope (SEM) examination of azithromycin bulk drug wet granulations (forms A, G, J, M and N) with EtOH, IPA, or H_2O was performed. The magnification range used was 50-1000x. Micrographs were taken on 4x5" paper film. Granulation quality was visually accessed by SEM with the results shown below in Table 1A.

Table 1A

Run	Drug Form	Solvent Used	Fines Reduced	Surface Changes
1	A	EtOH	Yes	Yes
2	G	EtOH	Yes	Yes
3	M	EtOH	Yes	Yes
4	N	EtOH	Yes	Yes
5	J	EtOH	Yes	Yes
6	A	IPA	Yes	Yes
7	G	IPA	Yes	Yes
8	M	IPA	Yes	Yes
9	N	IPA	Yes	Yes
10	J	IPA	Yes	Yes
11	A	H_2O	N/S	N/S
12	G	H_2O	N/S	N/S
13	M	H_2O	N/S	N/S
14	N	H_2O	N/S	N/S
15	J	H_2O	N/S	N/S

N/S= Not Significant

32

The SEM's confirmed that good granulations were
formed for all five drug forms using both the 95% EtOH
and the IPA. The surface of the drug crystals appeared
5   to have dissolved and acted as a binder to help form the
granules. The surface appearance was similar to that of
a thinly spread coating on the granules. Fines were also
reduced from the amount visible in the "as-is"
ungranulated bulk drug.   Without being bound by any
10   theory, it is assumed that the solvents dissolved the
fines.

The water also appeared to make a good granulation
for all drug forms while still wet, but after drying the
granules tended to be very friable, indicating weak
15   binding. Form J made slightly better quality granules
than the other forms, but this was probably due to a
higher percentage of water added than for the other
forms. Indications are that an apparent overwetting with
water will make a less friable dried granule, but still
20   of a lower quality than that obtained using non-aqueous
granulating liquids. SEM examination indicated that the
crystals were similar in appearance to the initial bulks.
There was no significant indication of fines being
reduced or surface dissolving. It appeared that water
25   alone was a poor choice of granulating liquid for bulk
azithromycin without using a binder or additional
excipients.

                        Example 2
30   Wet Granulation of Bulk Form F Azithromycin
        Wet granulations were prepared from bulk
crystalline, non-dihydrate form F azithromycin using both
aqueous and nonaqueous granulating liquids. The

33

granulating liquids used were 95% ethanol, isopropanol, and water.

Form F bulk drug contained soft lumps and was sieved through an 18 mesh (1.0mm) screen before use. A small-
5 scale granulation process, as described in Example 1, was used for samples of 5g of bulk drug. The liquid was pipetted in 0.1 to 1.0 mL increments until a granulation was formed, based on visual observations, followed by wet mixing for 3-5 minutes. All three runs formed wet
10 granulations, but the run with water was much less granular than the non-aqueous runs. All of the samples were dried overnight at 40 °C for 16 hours. Visually, the lots failed to hold together well after drying, indicating weak binding. The two nonaqueous liquid runs
15 appeared to be only ~50% granules, and the water run was only slightly granular. The granulation results are summarized, below, in Table 2, with granular densities provided in Table 2A. Unless otherwise noted, densities of the dried granulations were determined by hand sieving
20 through an 18 mesh (1.0mm) screen followed by 2000 taps on a Van Kel Tap Density Tester, Model 50-1200, Van Kel Industries, Edison, NJ. Only the non-aqueous granulations showed a change in density from the bulk drug.

25

34

Table 2

Run	Liquid	Batch Size	Liquid Amount(%)	Dried Granulation Results
1	EtOH	5g	1.2mL (24%)	Poor, ~ 50% granules
2	IPA	5g	1.2mL (24%)	Poor, ~ 50% granules
3	H_2O	5g	1.2mL (24%)	Few granules, soft, powdery

Table 2A

		As is		Tapped	
Type	Sample	Vol. (cc)	Density (g/cc)	Vol. (cc)	Density (g/cc)
Bulk	9.0g	31.0	0.290	20.5	0.439
Granulated with EtOH (Run 1)	4.5g	12.0	0.375	8.5	0.529
Granulated With IPA (Run 2)	4.5g	12.5	0.360	9.0	0.500
Granulated With H_2O (Run 3)	4.5g	15.5	0.290	10.5	0.429

The granulations were repeated using additional granulating liquid until the granulation appeared to be almost over-wet and on the verge of forming a single mass. The same tests were conducted to determine if granulation densification was increased by using the increased liquid amounts. The formulation process was

the same as previously described. As shown in Tables 2 and 2B, form F required significantly more granulating liquid to obtain granules of similar quality as did granulations made with other azithromycin forms (see Example 1).

Table 2B

Liquid	Batch Size	Liquid Amount (%)	Granule Quality
EtOH (Run 4)	5g	1.5mL (30%)	Good granules, hard
IPA (Run 5)	5g	1.7mL (34%)	Good granules, hard
H_2O (Run 6)	5g	2.5mL (50%)	Fair granules, but soft

Table 2C

Type	Sample	As is		Tapped	
		Vol. (cc)	Density (g/cc)	Vol. (cc)	Density (g/cc)
Bulk	9.0g	31.0	0.290	20.5	0.439
Granulated with EtOH (Run 4)	4.5g	11.5	0.391	9.0	0.500
Granulated with IPA (Run 5)	4.5g	12.0	0.360	9.0	0.500
Granulated with H_2O (Run 6)	4.5g	13.5	0.333	9.5	0.474

36

Samples were then hand sieved through an 18 mesh
screen and the density was determined, as shown above in
Table 2C. SEM's were taken of dried samples both before
and after sieving was done to aid in the evaluation.

5   The three bulk drug dried granulations were sieved
through a 2-sieve stack to attempt to quantitate
granulation differences. Visually, they all looked
similar, but friability was suspected to be different,
based on handling observations. The 3" diameter sieve

10   stack consisted of a #18 mesh sieve (1000 microns) on top
followed by a #40 mesh sieve (425 microns) and a
collection pan on the bottom. Approximately 5g of each
granulation was placed on the top sieve and gently shaken
by hand from side to side for 1 minute. Granulation on

15   each of the two sieves and the pan was then weighed. The
data is shown in Table 2D. Run #6, which used water as
the granulating liquid was found to be the most friable
of the granulations. The sieve analysis (Table 2D) shows
that nonaqueous liquids were superior to water as the

20   granulating liquid.

Table 2D

Liquid Type >	EtOH		IPA		H$_2$O	
SIEVES	Run 4	%	Run 5	%	Run 6	%
On 18 mesh	2.80g	58.1	2.35g	48.5	0.80g	16.9
On 40 mesh	1.90g	39.4	1.85g	38.3	2.58g	53.9
< 40 mesh	0.12g	2.5	0.64g	13.2	1.40g	29.2

An SEM examination of azithromycin bulk lot form F
25   granulations and bulk was conducted for particle size,
shape and morphological differences. The magnification
range used was 50-1000x. Micrographs were taken on 4x5"

Polaroid film. Runs 4-6 appeared similar in the SEM's.
The granules formed were very rough and irregular shaped
with a wide range in size. Stacked plates were common.
The granules formed using water looked similar to the
5. granules formed using the non-aqueous granulating
liquids. Without being bound by any theory, it is
assumed that the non-aqueous liquids dissolved the fines
or reduced their number.

10   Example 3
        Wet Granulation of Non-Dihydrate Azithromycin
                          Formulations
        Wet granulations were prepared from formulations of
crystalline, non-dihydrate azithromycin using aqueous and
15 non-aqueous granulating liquids at drug loadings between
58% to 83%.
        The azithromycin formulations used different drug
forms, drug loadings, diluents, binders, disintegrants,
and granulating liquids. Diluents included insoluble
20 microcrystalline cellulose (Avicel PH 102, FMC
Biopolymer, Philadelphia, PA), anhydrous dibasic calcium
phosphate and soluble anhydrous and hydrous lactose. The
binders were hydroxypropyl cellulose (Klucel EF and EXF,
Hercules Incorporated, Aqualon Division, Wilmington, DE),
25 pregelatinized starch (Starch 1500, Colorcon, West Point,
PA) and povidone (PVP, Plasdone C-30, International
Specialty Products, Wayne, NJ). The disintegrants
included croscarmellose sodium (Ac-Di-Sol, FMC
Biopolymer, Philadelphia, PA), sodium starch glycolate
30 (Explotab, Penwest Pharmaceuticals Co., Cedar Rapids, IA)
and crosslinked PVP (PVP-XL, International Specialty
Products, Wayne, NJ). The granulating liquids used were
water, ethanol 95%, isopropanol and mixtures thereof.

38

All formulations included 2% magnesium stearate:sodium
lauryl sulfate (9:1) added extragranular, as the
lubricant. The formulation compositions are given in
Table 3.

Table 3

Run	Drug (Load)	Diluent (%)	Binder 5%	Disintegrant 5%	Granulating Liquid (% Added)*
1	G (83%)	Avicel PH102 (10%)	None	Ac-Di-Sol	IPA:H$_2$O (80:20) (17%)
2	G (58%)	Lactose, anhydrous (30%)	PVP C-30	Explotab	H$_2$O (13%)
3	M (58%)	Dicalcium Phosphate (30%)	Klucel EF	Ac-Di-Sol	H$_2$O (30%)
4	M (58%)	Avicel PH102 (30%)	Starch 1500	Explotab	H$_2$O (14%)
5	N (83%)	Lactose, anhydrous (10%)	None	Explotab	EtOH:H$_2$O (50:50) (15%)
6	N (58%)	Dicalcium Phosphate (30%)	Klucel EF	Ac-Di-Sol (Extra-granular)	H$_2$O (13%)
7	F (58%)	Dicalcium Phosphate (30%)	Klucel EF	Ac-Di-Sol	H$_2$O (35%)
8	F (58%)	Lactose, anhydrous (30%)	Starch 1500	PVP-XL	EtOH:H$_2$O (20:80) (22%)
9	F (58%)	Avicel PH102 (30%)	Klucel EF	Ac-Di-Sol	EtOH:H$_2$O (50:50) (30%)
10	F (58%)	Dicalcium Phosphate (30%)	PVP C-30	PVP-XL	H$_2$O (17%)

39

11	J (60%)	Dicalcium Phosphate (28%)	PVP C-30	Ac-Di-Sol	EtOH (13.3%)
12	J (60%)	Dicalcium Phosphate (28%)..	PVP C-30	Ac-Di-Sol	H_2O (30.6%)
13	J (60%)	Lactose, hydrous (28%)	Klucel EXF	Ac-Di-Sol	EtOH (15.5%)
14	J (60%)	Lactose, hydrous (28%)	Klucel EXF	Ac-Di-Sol	H_2O (37.5%)

* Percent listed is the liquid volume amount compared to the dry component amount

A small-scale process, as described in Example 1, was used to granulate the formulations. The ingredients (except for the lubricant), to make a 10g lot for each run, were pre-blended for 5 minutes on a Turbula Shaker-Mixer (Willy A. Bachofen AG Maschinenfabrik, Basel, Switzerland). The blend was granulated per Example 1. The liquid was pipetted in 0.1 to 1.0mL increments and mixed for 2.5-6 minutes until a granulation was formed. All of the samples were dried overnight at 40 °C for 16 hours. The amount of densification varied depending on the excipients used in the formulation. The data is shown in Table 3A. Little, if any densification, compared to bulk form F, was observed with the form F granulations (Runs 7-10). Tablets were not made from these four granulation runs because of the poor quality. Excipients and granulating liquid that was used in run 3, with form M, resulted in a good granulation, but the same formulation resulted in a poor granulation with form F (Run 7).

40

· Table 3A

Run	Sample Type	Drug Form	As Is Density (g/cc)	Tapped Density (g/cc)
	Bulk Drug	G	0.290	0.450
1	Granulation	G	0.429	0.545
2	Granulation	G	0.450	0.562
	Bulk Drug	M	0.391	0.514
3	Granulation	M	0.500	0.600
4	Granulation	M	0.360	0.474
	Bulk Drug	N	0.450	0.600
5	Granulation	N	0.500	0.643
6	Granulation	N	0.562	0.692
	Bulk Drug	F	0.290	0.439
7	Granulation	F	0.346	0.500
8	Granulation	F	0.265	0.409
9	Granulation	F	0.310	0.450
10	Granulation	F	0.375	0.500
	Bulk Drug	J	0.377	0.649
11	Granulation	J	0.500	0.694
12	Granulation	J	0.375	0.529
13	Granulation	J	0.410	0.529
14	Granulation	J	0.333	0.450

The granulations were compressed on a single station
tablet press (Manesty F-Press, Liverpool, United Kingdom)

5   with 13/32″ standard round concave (SRC) tooling. The
tablet weight for ~250mgA of drug using a 58% drug
loading formulation was 431 mg. For testing purposes, it
was desirable to keep all the tablet lots the same size
and weight. A 431 mg tablet with 83% loading in the

10   formulation contains ~358 mgA of drug. Ten to 15 tablets

41

were made for each granulation, except for Runs 7-10, using the F-press, operated manually due to the small amount of granules available. Tablet hardness testing was done using a Dr. Schleuniger model 6D tablet tester

5 (Dr. Schleuniger Pharmatron AG, Solothum, Switzerland). All runs had hardness values of ~11 kP or greater except for Run 5 (83% loading), which had a maximum hardness of ~7 kP. Tablet disintegration times were determined in 37 °C water (Erweka ZT72 Disintegration Tablet Tester, Erweka

10 GmbH, Heusenstamm, Germany). For form J, tablet friability was tested. Table 3 provides the test data.

Table 3B

Run	Drug Form	Mean Tablet weight (mg) (n=10)	Mean Tablet Hardness (kP) (n=3)	Mean Tablet Disintegration Time (min.) (n=3)	Friability (% loss) (n=10)
1	G	433.8	12.6	3.5	ND
2	G	430.5	18.1	20.3	ND
3	M	423.0	13.2	13.1	ND
4	M	435.0	11.4	2.0	ND
5	N	437.4	6.6	5.0	ND
6	N	438.9	13.3	18.2	ND
7	F	NR	NR	NR	ND
8	F	NR	NR	NR	ND
9	F	NR	NR	NR	ND
10	F	NR	NR	NR	ND
11	J	420.2	12.3	ND	0.32
12	J	421.7	12.2	ND	0.43
13	J	425.4	12.0	ND	0.20
14	J	418.5	11.9	ND	0.39

NR = Not run, poor granulation quality

ND = Not determined.

15

42

Some of the granulations were hand filled into #0
gelatin capsule shells for a target granulation weight of
431 mg. The fullness of the capsule was dependent on the
granulation density. Capsule disintegration times were
5   determined in 37 °C water (Erweka ZT72 Disintegration
Tablet Tester, Erweka GmbH, Heusenstamm, Germany). The
capsule data is given in Table 3C.

Table 3C

Run	Drug Form.	Mean Capsule Weight (mg) (n=2)	Mean Capsule Disintegration Time (minutes, n=2)
1	G	434.2	2.0
2	G	434.4	2.8
3	M	434.5	2.4
4	M	436.7	2.0
5	N	435.1	2.6
6	N	435.4	3.0

10

Example 4

Wet Granulation of Additional
Non-Dihydrate Azithromycin Formulations

15   Wet granulations were prepared from additional
formulations of crystalline, non-dihydrate azithromycin
forms G, M and N using water at a drug loading of 58%.
The formulation herein was 58.2% azithromycin, 6%
pregelatinized starch (Starch 1500, Colorcon, West Point,
20   PA) as the binder, 30.9% anhydrous dibasic calcium
phosphate as the filler, 2% croscarmellose sodium (Ac-Di-
Sol, FMC Biopolymer, Philadelphia, PA) as the

43

disintegrant, and 2.9% magnesium stearate with sodium
lauryl sulfate (SLS) (9:1) as the lubricant.

The ingredients were weighed (except for the
lubricant), combined and blended in a Turbula Shaker-

5.   Mixer (Willy A. Bachofen AG Maschinenfabrik, Basel,
Switzerland) for 30 minutes. The dry blend was delumped
using a JT Fitzmill (0.027" screen, knives forward, high
speed). The delumped dry blend was returned to the mixer
and blended for an additional 30 minutes.

10   Using a Hobart mixer (Hobart Corporation, Troy, OH),
approximately 90 mL of water was added to the dry blend
(~ 300 g batch size) and mixed into a wet mass. The wet
mass was dried overnight in an oven at 50 ºC. The dried
granulation was then milled (Fitzmill JT, 0.093" screen,

15   knives forward, medium speed) and reblended for 15
minutes. The lubricant was added to the granulation and
blended for 5 minutes.

The completed granulation was compressed on a single
station tablet press (Manesty F-Press, Liverpool, United

20   Kingdom) with 0.262" x 0.531" capsule shaped tooling.
The target tablet weight was 450 mg and ten tablets were
tested for hardness (kP scale) and friability (100
rotations/4 minutes). A Schleuniger Tablet Hardness
Tester (Dr. Schleuniger Pharmatron AG, Solothurn,

25   Switzerland) and Vanderkamp Friabulator Tablet Tester
(Vankel, Cary, NC) were used to test the tablets.
Granulation and tablet data are given in Table 4.

Table 4

		Granulation			Tablets	
Run	Drug Form	As Is Density (g/cc)	Tapped Density (g/cc)	Mean Tablet Weight mg (%CV)	Mean Tablet Hardness kP (%CV)	Tablet Friability (%)
1	N	0.513	0.741	440.6 (2.92% n=10)	9.5 (13.9% n=10)	0.19 (n=10)
2	G	0.478	0.676	458.0 (1.46% n=10)	13.5 (6.2%, n=10)	0.20 (n=10)
3	M	0.508	0.719	441.5 (1.49% n=10)	9.8 (6.1% n=10)	0.61 (n=10)

5   The tablets were then film-coated using a pan coater
(Model HCT30, Vector Corporation, Marion, IA). The
coating suspension was prepared as a 20% solids aqueous
pink Opadry II (Colorcon, West Point, PA) coating
suspension. The coating conditions were inlet temperature
10   of 60°C, outlet temperature of 40°C, spray-rate of 5-7
mL/minute, pan speed of 22 rpm, and atomization of 1.5
kg/cm2.

Example 5

15   Wet Granulation of Formulations of Azithromycin Form M
       Wet granulations were prepared from formulations of
crystalline, non-dihydrate azithromycin form M using
aqueous and non-aqueous granulating liquids at drug
loadings between 30% to 60%.

45

In these formulations, the diluent was dibasic
calcium phosphate. The formulation included 5% povidone
(PVP, Plasdone C-30, International Specialty Products,
Wayne, NJ) as a binder. The formulation also included 5%
5   croscarmellose sodium (Ac-Di-Sol, FMC Biopolymer,
Philadelphia, PA) as a disintegrant. The granulating
liquids were water or ethanol 95%. All formulations
included 2% magnesium stearate:sodium lauryl sulfate
(9:1) added extragranular as the lubricant. The
10 formulation compositions are given in Table 5.

Table 5

Drug Loading	Diluent	Granulating Liquid*
60%	28% Dicalcium Phosphate	15.3% EtOH
60%	28% Dicalcium Phosphate	30.6% H_2O
45%	43% Dicalcium Phosphate	13.3% EtOH
45%	43% Dicalcium Phosphate	40.8% H_2O
30%	58% Dicalcium Phosphate	13.3% EtOH
30%	58% Dicalcium Phosphate	40.8% H_2O

* Percent listed is the liquid volume amount compared to
the dry component amount

15   A small-scale process, as described in Example 1,
was used to granulate the formulations into 10 g lots.
The liquid was pipetted in 0.1 to 1.0 mL increments and
mixed for 2-5 minutes until a granulation was formed.
All of the samples were dried overnight at 40 °C for 16
20 hours in a forced hot air oven and then hand sieved
through a 18 mesh (1.0mm) screen. The densities of the
granulations are shown in Table 5A.

46

Table 5A

Drug Load	Amount (g)	Liquid Used	As Is Density (g/cc)	Tapped Density (g/cc)	Granule Quality
60%	9.8	EtOH	0.429	0.602	Good, hard
60%	9.8	H$_2$O	0.392	0.532	Fair, softer
45%	9.8	EtOH	0.529	0.752	Good, hard
45%	9.8	H$_2$O	0.392	0.562	Fair, softer
30%	9.8	EtOH	0.645	0.901	Good, hard
30%	9.8	H$_2$O	0.429	0.621	Fair, softer

The lubricant was added to the granulations and

5   fifteen tablets were compressed for each run and then

tested for hardness and disintegration times, as

described in Example 3. For a 417 mg tablet, drug

loadings of 60%, 45% and 30% provided, respectively,

about 250 mgA, about 188 mgA and about 125 mgA.

10   Tablet friability testing (100 rotations/4 minutes)

was done using a Vanderkamp Friabulator Tablet Tester

(Vankel, Cary, NC). Test data is given in Table 5B.

Table 5B

Drug Load	Liquid Used	Mean Tablet Weight (mg) (n=10)	Mean Tablet Hardness (kP, n=3)	Tablet Friability Percent loss (n=10)
60%	EtOH	420.4	12.7	0.28
60%	H$_2$O	421.3	13.2	0.30
45%	EtOH	424.3	11.7	0.38
45%	H$_2$O	419.4	12.2	0.20
30%	EtOH	420.2	13.2	0.28
30%	H$_2$O	426.3	13.2	0.25

47

Example 6

Wet Granulation of Formulations of Azithromycin Form F

Wet granulations were prepared from formulations of

5   non-dihydrate azithromycin form F using aqueous and non-
     aqueous granulating liquids at a drug loading of 58%. Each
     formulation of the present example contained 25% lactose as
     a diluent and two binders, specifically, 10% sucrose
     (American Sugar Refining Co., Domino Foods, Baltimore, MD)

10   added in the dry blend and povidone (PVP, Plasdone C-30,
     International Specialty Products, Wayne, NJ) added via the
     granulating liquid. The PVP was dissolved (10% w/v) in
     each of the three granulating liquids: water, 95% ethanol
     and a 50:50 ethanol:water mixture. All formulations

15   included 5% croscarmellose sodium (Ac-Di-Sol, FMC
     Biopolymer, Philadelphia, PA) as an extragranular
     disintegrant and 2% magnesium stearate:sodium lauryl
     sulfate (9:1) as an extragranular lubricant.

     A small-scale process, as described in Example 1,

20   was used to granulate the formulations. The granulating
     liquid was pipetted in 0.1 to 1.0 mL increments and mixed
     with the 9.3 g of the dry blend for 3-6 minutes until a
     granulation was formed. The granulating amount of 30, 27
     and 29% was used for the PVP granulating liquid in

25   ethanol, water and 50:50 ethanol:water, respectively.
     The amount of liquid used was 2.5-3 mL, therefore the
     amount of solid (PVP) added in solution based on the 10g
     final batch size was from about 0.25 to 0.3%. All of the
     samples were dried overnight at 40 °C for 16 hours and

30   then hand sieved through a 16 mesh (1.2 mm) screen. The
     densities of the granulations are shown in Table 6.

48

Table 6

Run	Sample Type	As Is Density (g/cc)	Tapped Density (g/cc)
	Bulk Drug	0.290	0.439
1	Granulated with EtOH	0.409	0.563
2	Granulated with H_2O	0.321	0.429
3	Granulated with EtOH:H_2O (50:50)	0.346	0.474

As described in Example 3, the granulations were compressed into ten tablets and then tested for hardness and disintegration times. For a 431 mg tablet, drug loading of 58% provided about 250 mgA. The test data is provided in Table 6A.

Table 6A

Run	Mean Tablet weight (mg) (n=10)	Mean Tablet Hardness (kP) (n=3)	Mean Tablet Disintegration Time (min.) (n=3)
1	434.7	12.8	13.3
2	436.9	12.5	5.3
3	437.5	13.6	8.8

49

Example 7

Wet Granulation of Formulations of Azithromycin Form F

Wet granulations were prepared from additional
formulations of azithromycin form F using aqueous and
5   nonaqueous granulating liquids and excipients at a drug
loading of 40% and 58%. The diluents chosen were
hydrous lactose (Foremost Farms USA, Rothschild, WI) and
anhydrous dibasic calcium phosphate. The binders were
hydroxypropyl cellulose (Klucel EXF, Hercules
10   Incorporated, Aqualon Division, Wilmington, DE) or
povidone (PVP, Plasdone C-30, International Specialty
Products, Wayne, NJ). The binders were added dry to the
blend before granulating with the granulating liquids.
The disintegrants were croscarmellose sodium (Ac-Di-Sol,
15   FMC Biopolymer, Philadelphia, PA) or Crospovidone (PVP-
XL, International Specialty Products, Wayne, NJ). The
granulating liquids included water, ethanol and a 50:50
mixture thereof. All formulations included 2% magnesium
stearate:sodium lauryl sulfate (9:1) added extragranular
20   as the lubricant before tableting. The formulation
compositions are given in Table 7.

50

Table 7

Run	Drug Load	Diluent 29-48%	Binder 5%	Disintegrant 5%	Liquid (%)
1	58%	30% Lactose, hydrous	PVP (C-30)	Ac-Di-Sol	EtOH (23%)
2	58%	30% Lactose, hydrous	PVP (C-30)	Ac-Di-Sol	EtOH:H_2O (50:50) (30%)
3	58%*	29% Lactose, hydrous	Klucel EXF	Ac-Di-Sol	H_2O (40%)
4	58%*	29% Dical Phosphate	Klucel EXF	Ac-Di-Sol	H_2O (50%)
5	40%	48% Dical Phosphate	PVP (C-30)	PVP-XL	H_2O (30%)

*1% Sodium lauryl sulfate was pre-blended with the bulk drug

A small-scale process, as described in Example 1,
5   was used to granulate the formulations to make 10 g lots.
Each formulation was pre-blended for 5 minutes on a
Turbula Shaker-Mixer (Willy A. Bachofen AG
Maschinenfabrik, Basel, Switzerland) for 5 minutes. The
blend was then granulated as described in Example 1. The
10   liquid was pipetted in 0.1 to 1.0mL increments and mixed
for 4-8 minutes until a granulation was formed. All of
the samples were dried overnight at 40°C for 16 hours and
then hand sieved through a 16 mesh (1.2mm) screen. The
densities of the granulations were then compared to the
15   bulk drug and to each other. The amount of densification
varied depending on the components used in the
formulation. This data is shown in Table 7A.

51

Table 7A

Run	Sample Type	As Is Density (g/cc)	Tapped Density (g/cc)
	Bulk Drug	0.290	0.439
1	Granulated with EtOH	0.391	0.562
2	Granulated with EtOH:H_2O (50:50)	0.281	0.409
3	Granulated with H_2O	0.281	0.391
4	Granulated with H_2O	0.310	0.429
5	Granulated with H_2O*	0.409	0.562

* Note: 40% drug loading

5   As described in Example 3, the granulations were
compressed into ten tablets and then tested for hardness
and disintegration times. For a 431 mg tablet, drug
loadings of 58% and 40% provided, respectively, about 250
mgA and about 172 mgA. The test data is provided in
10   Table 7B.

Table 7B

Run	Mean Tablet Weight (mg) (n=10)	Mean Tablet Hardness (kP) (n=3)	Mean Tablet Disintegration Time (min.) (n=3)
1	439.5	10.6	7.1
2	437.2	13.4	7.0
3	435.0	11.7	9.3
4	435.0	11.3	8.0
5	438.0	10.6	4.1

52

Example 8

Wet Granulation of Azithromycin Form B

Wet granulations were prepared from non-dihydrate
azithromycin form B using different granulating amounts

5   of water in a high shear granulator. The four
formulations each contained 58.2% azithromycin form B, 6%
pregelatinized starch (Starch 1500, Colorcon, West Point,
PA) as the binder, 30.9% anhydrous dibasic calcium
phosphate as the diluent, 2% croscarmellose sodium (Ac-

10   Di-Sol, FMC Biopolymer, Philadelphia, PA) as the
disintegrant, and 2.9% magnesium stearate with sodium
lauryl sulfate (SLS) (9:1) as the lubricant.

For each 3375 g formulation, azithromycin and starch
were blended in a P-K blender (Patterson-Kelley Co., East

15   Stroudsburg, PA). The blend was then milled using a JT
Fitz Mill (The Fitzpatrick Co., Elmhurst, IL) with a #0
plate (0.033"), at high speed with hammers forward (Part
1). Dibasic calcium phosphate and croscarmellose sodium
were then blended together in the P-K blender (Part 2).

20   The granulation was produced in a Niro-Fielder High-Shear
Granulator (Niro Inc., Columbia, MD). The blend was
mixed for one minute with only the impeller at 300 rpm.
Varying amounts of water ranging from 22 to 37% was then
added to each of the four formulations and blended for

25   two minutes at 300 rpm. The chopper was then turned on at
low speed for two minutes, then high speed for 40
seconds. The granulation was then discharged. The wet
mass was divided into two equal parts for a drying
equipment study (tray dryer or fluid bed) and dried at

30   50°C. Magnesium stearate was added to the dried
granulations and blended for five minutes in the P-K
blender. Tablets were made using a Kilian rotary tablet
press (Kilian-IMA, Koln, Germany) with 13/32" standard

round concave (SRC) tablet tooling. The mean tablet
weight was 451mg with a mean tablet thickness of 0.200".
Tablet hardness testing was done using a Dr. Schleuniger
model 6D tablet tester (Dr. Schleuniger Pharmatron AG,
5   Solothum, Switzerland). Six tablets from each run were
tested for disintegration time using a Erweka
Disintegration Tablet Tester (Erweka GmbH, Heusenstamm,
Germany). Granulation and tablet data are given in Table
8.

10   Table 8

		Granulation			Tablet	
Run	% water	Drying Method	As Is Density (g/cc)	Tapped Density (g/cc)	Mean Tablet Hardness (kP)	Mean Tablet Disintegration (min., n=6)
1	29.6%	Tray dry	0.578	0.769	9.8	23.2
2	29.6%	Fluid Bed	0.578	0.769	9.8	31.2
3	22.2%	Tray dry	0.599	0.752	9.6	29.0
4	22.2%	Fluid Bed	0.613	0.752	7.6	46.5
5	37.1%	Tray dry	0.599	0.752	12.7	28.5
6	26.9%	Tray dry	0.578	0.699	11.5	32.0
7	26.9%	Fluid Bed	0.613	0.752	9.7	54.0

Example 9

Azithromycin Solubility Testing

Equilibrium solubility of several different forms of
15 azithromycin, in typical liquids used in the wet
granulation process, were evaluated as follows.

54

The equilibrium solubility of azithromycin forms A,
F, G, J, M and N, was determined in water, isopropanol
(IPA) and 95% ethanol (EtOH) and water/alcohol mixtures
at 67% and 33% alcohol. Excess azithromycin was added as
5   a solid into each respective test liquid and mixed by
rotation using a Labquake Rotating Mixer® at 7
revolutions per minute (RPM). Duplicate samples were run
for each condition. Excess drug material was added to
achieve saturation. Once saturation was achieved, the
10 samples were rotated for 48 hours with sampling intervals
at 24 and 48 hours. Azithromycin form A was also set up
for a 7-day equilibrium solubility analysis to assure
equilibrium beyond 48 hours. At each sampling interval,
approximately half (1mL) the sample was transferred into
15 a polyethylene microcentrifuge tube and centrifuged at
15,000 RPM for 20 minutes using the Eppendorf Centrifuge
Model # 5403. Following centrifugation, the liquid layer
was pipetted and diluted with 0.04M potassium phosphate
dibasic (pH=8): acetonitrile (4:6). Dilutions were made
20 accordingly until the peak area fell into the linear
curve range of the standards (0.15 to 1.5 mgA/mL).
Samples were run by HPLC (HP-1100 system, Agilent
Technologies, Wilmington, DE) with UV detection at 210nm.
The sample data was calculated by linear regression
25 against the standard curve based on azithromycin form A.

Equilibrium solubility results for the azithromycin
forms are as follows.

The form A solubilities, in mgA/mL, at 24 hours were
0.10 in water, 1.30 in EtOH 33% in water v/v, 27.48 in
30 EtOH 67% in water v/v, 219.74 in EtOH 100% neat, 5.50 in
IPA 33% in water v/v, 68.71 in IPA 67% in water v/v, and
291.91 in IPA 100% neat.

55

The form A solubilities, in mgA/mL, at 48 hours were
0.14 in water, 1.23 in EtOH 33% in water v/v, 27.25 in
EtOH 67% in water v/v, 211.59 in EtOH 100% neat, 5.25 in
IPA 33% in water v/v, 67.70 in IPA 67% in water v/v, and
5   280.91 in IPA 100% neat.

The form A solubilities, in mgA/mL, at 7 days were
0.11 in water, 1.27 in EtOH 33% in water v/v, 27.02 in
EtOH 67% in water v/v, 214.76 in EtOH 100% neat, 5.25 in
IPA 33% in water v/v, 66.63 in IPA 67% in water v/v, and
10   286.45 in IPA 100% neat.

The form F solubilities, in mgA/mL, at 24 hours were
0.19 in water, 0.98 in EtOH 33% in water v/v, 27.86 in
EtOH 67% in water v/v, 228.34 in EtOH 100% neat, 10.04 in
IPA 33% in water v/v, 94.09 in IPA 67% in water v/v, and
15   367.02 in IPA 100% neat.

The form F solubilities, in mgA/mL, at 48 hours were
0.21 in water, 1.06 in EtOH 33% in water v/v, 27.56 in
EtOH 67% in water v/v, 229.87 in EtOH 100% neat, 9.41 in
IPA 33% in water v/v, 79.90 in IPA 67% in water v/v, and
20   362.64 in IPA 100% neat.

The form G solubilities, in mgA/mL, at 24 hours were
0.21 in water, 0.94 in EtOH 33% in water v/v, 27.52 in
EtOH 67% in water v/v, 221.46 in EtOH 100% neat, 8.29 in
IPA 33% in water v/v, 88.74 in IPA 67% in water v/v, and
25   313.04 in IPA 100% neat.

The form G solubilities, in mgA/mL, at 48 hours were
0.23 in water, 1.05 in EtOH 33% in water v/v, 27.03 in
EtOH 67% in water v/v, 221.49 in EtOH 100% neat, 6.87 in
IPA 33% in water v/v, 79.85 in IPA 67% in water v/v, and
30   311.38 in IPA 100% neat.

The form J solubilities, in mgA/mL, at 24 hours were
0.18 in water, 0.95 in EtOH 33% in water v/v, 27.15 in
EtOH 67% in water v/v, 224.77 in EtOH 100% neat, 9.81 in

56

IPA 33% in water v/v, 113.05 in IPA 67% in water v/v, and
315.94 in IPA 100% neat.

The form J solubilities, in mgA/mL, at 48 hours were
0.22 in water, 0.99 in EtOH 33% in water v/v, 26.30 in
5   EtOH 67% in water v/v, 208.99 in EtOH 100% neat, 9.40 in
IPA 33% in water v/v, 106.51 in IPA 67% in water v/v, and
295.88 in IPA 100% neat.

The form M solubilities, in mgA/mL, at 24 hours were
0.22 in water, 0.97 in EtOH 33% in water v/v, 25.86 in
10   EtOH 67% in water v/v, 211.38 in EtOH 100% neat, 8.56 in
IPA 33% in water v/v, 110.67 in IPA 67% in water v/v, and
333.39 in IPA 100% neat.

The form M solubilities, in mgA/mL, at 48 hours were
0.21 in water, 1.10 in EtOH 33% in water v/v, 27.00 in
15   EtOH 67% in water v/v, 222.38 in EtOH 100% neat, 8.92 in
IPA 33% in water v/v, 82.95 in IPA 67% in water v/v, and
353.19 in IPA 100% neat.

The form M solubilities, in mgA/mL, at 72 hours were
71.35 in IPA 67% in water v/v, and 322.55 in IPA 100%
20   neat.

The form N solubilities, in mgA/mL, at 24 hours were
0.20 in water, 1.06 in EtOH 33% in water v/v, 27.33 in
EtOH 67% in water v/v, 228.14 in EtOH 100% neat, 9.23 in
IPA 33% in water v/v, 113.08 in IPA 67% in water v/v, and
25   334.22 in IPA 100% neat.

The form N solubilities, in mgA/mL, at 48 hours were
0.24 in water, 1.11 in EtOH 33% in water v/v, 27.20 in
EtOH 67% in water v/v, 225.78 in EtOH 100% neat, 7.36 in
IPA 33% in water v/v, 106.48 in IPA 67% in water v/v, and
30   322.91 in IPA 100% neat.

Overall solubility of the azithromycin forms was
comparable with the exception of form A (dihydrate),
which showed approximately one-half the solubility in

pure water and lower solubility in the isopropanol
solutions when compared to all other forms. In ethanol,
all the azithromycin forms appeared to have similar
solubility. In all cases, the more lipophilic isopropanol
5   was a better solvent/cosolvent than ethanol.

58

Claims

We claim:

1.   A method of forming non-dihydrate azithromycin
      granules, comprising:
      a)   mixing
            (i)   non-dihydrate azithromycin particles,
            (ii)   a granulating amount of a granulating
                   liquid, and
            (iii) optionally, particles of one or more
                   pharmaceutically acceptable excipients,
            to form wet granules, wherein the wet granules
            comprise non-dihydrate azithromycin and the
            granulating liquid; and
      b)   drying the wet granules to remove the
            granulating liquid and thereby form
            non-dihydrate azithromycin granules.

2.   A method of Claim 1 wherein the non-dihydrate
      azithromycin is crystalline.

3.   A method of Claims 1 and 2 wherein the non-dihydrate
      azithromycin particles are selected from the group
      consisting of non-dihydrate azithromycin powder and
      non-dihydrate azithromycin granules.

4.   A method of Claim 3 wherein the non-dihydrate
      azithromycin is selected from the group
      consisting of azithromycin forms B, D, E, G, H,
      J, M, N, O, P, Q, R and mixtures thereof.

59

5.   A method of Claim 3 wherein the non-dihydrate
     azithromycin is azithromycin form F.

6.   A method of Claims 1, 2, 3, 4 and 5 wherein the
     granulating liquid is selected from the group
     consisting of an aqueous liquid and a nonaqueous
     liquid.

7.   A pharmaceutical composition comprising granules of
     a non-dihydrate azithromycin and at least one
     pharmaceutically acceptable excipient.

8.   A pharmaceutical composition of Claim 7 wherein the
     non-dihydrate azithromycin is selected from the
     group consisting of azithromycin forms B, D, E, G,
     H, J, M, N, O, P, Q, R and mixtures thereof.

9.   A pharmaceutical composition of Claim 7 wherein the
     non-dihydrate azithromycin comprises azithromycin
     form F.

10. A pharmaceutical formulation, comprising:
     a tablet, sachet or powder for suspension which
     comprises
     a)   granules of a non-dihydrate azithromycin;
          and
     b)   at least one pharmaceutically acceptable
          excipient.

11. A pharmaceutical formulation, comprising:
     a)   a capsule;
     b)   granules of a non-dihydrate azithromycin; and

c)   at least one pharmaceutically acceptable
      excipient.

12.   A pharmaceutical formulation of Claims 10 and 11
      wherein the non-dihydrate azithromycin is selected
      from the group consisting of azithromycin forms   B,
      D, E, G, H, J, M, N, O, P, Q, R and mixtures
      thereof.

13.   A pharmaceutical formulation of Claims 10 and 11
      wherein the non-dihydrate azithromycin comprises
      azithromycin form F.

14.   A pharmaceutical formulation, comprising:
      a)   granules of dihydrate azithromycin, wherein
            said granules consist essentially of 98% or
            more dihydrate azithromycin and 2% or less,
            total weight, of one or more pharmaceutically
            acceptable excipients; and
      b)   at least one pharmaceutically acceptable
            excipient.

15.   A method of treating a bacterial or protozoal
      infection in a mammal, comprising administering to
      said mammal an effective amount of a pharmaceutical
      composition of Claims 10, 11, 12, 13 or 14.